

## Passport data

Passport descriptors	
Prime name	VITIS PIASEZKII MAXIMOWICZ
Color of berry skin	NOIR
Variety number VIVC	13571
Country or region of origin of the variety	CHINA
Species	VITIS PIASEZKII MAXIMOWICZ

Degree of resistance					
Source code	20000	20003	20011	20040	20044
<b>Accession name</b>					
<b>Alternaria rot</b> (leaf) ( <i>Alternaria alternata</i> (Fr.) Keissl)					
<b>Anthraco nose</b> (leaf) ( <i>Elsinoë ampelina</i> Shear)					6
<b>Anthraco nose</b> (bunch) ( <i>Elsinoë ampelina</i> Shear)					
<b>Anthraco nose</b> (leaf/shoot) ( <i>Elsinoë ampelina</i> Shear)					
<b>Black rot</b> (leaf) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)					
<b>Black rot</b> (bunch) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)					
<b>Black rot</b> (leaf/bunch) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)					
<b>Black rot</b> (leaf) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)					
<b>Black rot</b> (bunch) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)					
<b>Black rot</b> (leaf/bunch) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)					
<b>Botrytis bunch rot</b> (leaf) ( <i>Botrytis cinerea</i> (Botrytis cinerea Pers.))					
<b>Botrytis bunch rot</b> (bunch) ( <i>Botrytis cinerea</i> (Botrytis cinerea Pers.))					
<b>Botrytis bunch rot</b> (leaf/bunch) ( <i>Botrytis cinerea</i> (Botrytis cinerea Pers.))					
<b>Brenner</b> (leaf) ( <i>Pseudopeziza tracheiphila</i> Müll.-Thurg.)					
<b>Cercospora</b> (leaf)					
<b>Crown gall</b> (shoot) ( <i>Agrobacterium tumefaciens</i> (Smith & Townsend) Conn)					

<b>Downy mildew</b> (leaf) ( <i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)					7
<b>Downy mildew</b> (bunch) ( <i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)					
<b>Downy mildew</b> (leaf/bunch) ( <i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)	8	9			
<b>Excoriöse</b> (leaf/shoot) ( <i>Phomopsis viticola</i> (Sacc.) Sacc.)					
<b>Isariopsis leaf blight</b> (leaf) ( <i>Isariopsis clavispora</i> (Berk. & Cooke) Sacc.)					
<b>Pierce's Disease</b> ( <i>Xylella fastidiosa</i> Wells. et al.: grapevine)					
<b>Powdery mildew</b> (leaf) ( <i>Erysiphe necator</i> Schwein.)		7		5	
<b>Powdery mildew</b> (bunch) ( <i>Erysiphe necator</i> Schwein.)					
<b>Powdery mildew</b> (leaf/bunch) ( <i>Erysiphe necator</i> Schwein.)			3		
<b>Ripe rot</b> (leaf) ( <i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)					
<b>Ripe rot</b> (bunch) ( <i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)					7
<b>Ripe rot</b> (leaf/bunch) ( <i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)					
<b>White rot</b> (leaf) ( <i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)					
<b>White rot</b> (bunch) ( <i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)					
<b>White rot</b> (leaf/bunch) ( <i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)					