

## Passport data

Passport descriptors	
Prime name	KHUSAINÉ KADU
Color of berry skin	BLANC
Variety number VIVC	6206
Country or region of origin of the variety	TAJIKISTAN
Species	VITIS VINIFERA LINNÉ SUBSP. SATIVA (DE CANDOLLE) HEGI

Degree of resistance			
Source code	20054	20058	20070
Accession name	KHUSAINÉ KADU, HUSSAINI-KADUBELI	HUSSAINI-KADU-BALYI	HUSAIRE KUDUBEYI
<b>Alternaria rot</b> (leaf) ( <i>Alternaria alternata</i> (Fr.) Keissl)	5		
<b>Anthraco</b> se (leaf) ( <i>Elsinoë ampelina</i> Shear)		1	
<b>Anthraco</b> se (bunch) ( <i>Elsinoë ampelina</i> Shear)			
<b>Anthraco</b> se (leaf/shoot) ( <i>Elsinoë ampelina</i> Shear)	1		3
<b>Black rot</b> (leaf) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)			
<b>Black rot</b> (bunch) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)			
<b>Black rot</b> (leaf/bunch) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)			
<b>Black rot</b> (leaf) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)			
<b>Black rot</b> (bunch) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)			
<b>Black rot</b> (leaf/bunch) ( <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)			
<b>Botrytis bunch rot</b> (leaf) ( <i>Botrytis cinerea</i> (Botrytis cinerea Pers.))			
<b>Botrytis bunch rot</b> (bunch) ( <i>Botrytis cinerea</i> (Botrytis cinerea Pers.))			
<b>Botrytis bunch rot</b> (leaf/bunch) ( <i>Botrytis cinerea</i> (Botrytis cinerea Pers.))			
<b>Brenner</b> (leaf) ( <i>Pseudopeziza tracheiphila</i> Müll.-Thurg.)			
<b>Cercospora</b> (leaf)	1		7

<b>Crown gall</b> (shoot) ( <i>Agrobacterium tumefaciens</i> (Smith & Townsend) Conn)			
<b>Downy mildew</b> (leaf) ( <i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)			
<b>Downy mildew</b> (bunch) ( <i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)			
<b>Downy mildew</b> (leaf/bunch) ( <i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)			
<b>Excoriose</b> (leaf/shoot) ( <i>Phomopsis viticola</i> (Sacc.) Sacc.)			
<b>Isariopsis leaf blight</b> (leaf) ( <i>Isariopsis clavispora</i> (Berk. & Cooke) Sacc.)	1		
<b>Pierce's Disease</b> ( <i>Xylella fastidiosa</i> Wells. et al.: grapevine)			
<b>Powdery mildew</b> (leaf) ( <i>Erysiphe necator</i> Schwein.)			
<b>Powdery mildew</b> (bunch) ( <i>Erysiphe necator</i> Schwein.)			
<b>Powdery mildew</b> (leaf/bunch) ( <i>Erysiphe necator</i> Schwein.)			
<b>Ripe rot</b> (leaf) ( <i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)			
<b>Ripe rot</b> (bunch) ( <i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)			
<b>Ripe rot</b> (leaf/bunch) ( <i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)			
<b>White rot</b> (leaf) ( <i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)			
<b>White rot</b> (bunch) ( <i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)			
<b>White rot</b> (leaf/bunch) ( <i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)			